

GELEST, INC.

11 East Steel Rd. Morrisville, PA 19067

Phone: (215) 547-1015

MATERIAL SAFETY
DATA SHEET

EMERGENCY TELEPHONE
CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: **3-ACRYLOXYPROPYLTRIMETHOXYSILANE - SIA0200.0**

CHEMICAL NAME: 3-ACRYLOXYPROPYLTRIMETHOXYSILANE

SYNONYMS: 3-(TRIMETHOXYSILYL)PROPYLACRYLATE

CHEMICAL FAMILY: ORGANOSILANE

FORMULA: C₉H₁₈O₅Si

HMIS CODES HEALTH: 3 FLAMMABILITY: 2 REACTIVITY: 1

INGREDIENTS

IDENTITY	CAS NO.	%	TLV
3-ACRYLOXYPROPYLTRIMETHOXYSILANE	4369-14-6	>95	not determined
METHANOL	67-56-1	<3	200ppm - skin
HYDROQUINONE, MONOMETHYL ETHER	150-76-5	<500ppm	

PHYSICAL DATA

Boiling Point: 68°C @ 0.4mm

Specific Gravity: 1.06

Vapor Density (air=1): >1

% volatiles: <5

Molecular Weight: 234.32

Appearance & Color: Clear to straw liquid with mild odor

Freezing Point: <0°C

Vapor Pressure, 25°C: <0.1mm

Solubility in water: insoluble, reacts

Evaporation rate: NA

Other: NA

FIRE & EXPLOSION DATA

Flash Point, COC: 123°C (253°F) Autoignition Temp.: not determined

Flammability Limits- LEL: NA UEL: NA

Extinguishing Media: Water spray, foam, carbon dioxide, dry chemical.

Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale vapors.

Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

ENVIRONMENTAL INFORMATION

Spill response: May be hazardous to aquatic life if released to open waters. Cover spill with absorbent material. Transfer to a suitable container for disposal.

Recommended Disposal: May be incinerated. Alternately, absorb onto clay or vermiculite and dispose of absorbent material as solid waste. Follow all chemical pollution control regulations.

HEALTH HAZARD DATA

On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system.

Eye Contact: Will cause immediate or delayed severe eye irritation.

Skin contact: May produce irritation or contact dermatitis which may be delayed several hours. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects. Acrylates can have a sensitizing effect.

Inhalation: Inhalation of vapors or particulates of may irritate the respiratory tract. Overexposure may produce coughing, headache and nausea.

Oral Toxicity: not determined

Chronic Toxicity: There are no known chronic effects related to this compound.

SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention, preferably from an ophthalmologist.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

NOTE TO PHYSICIAN: This product reacts with water in the acid contents of the stomach to form methanol. The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

REACTIVITY DATA

Stability: Stable in sealed containers stored in the dark at 0-5°. Polymerization can occur when stored at elevated temperature.

Conditions to avoid: Combustible; avoid contact with heat, sparks or open flame.

Incompatibility (materials to avoid): Reacts with water and moisture in air liberating methanol.

Hazardous decomposition products: Organic Acid Vapors.

SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV air-supplied or combination organic vapor acid gas respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

OTHER PRECAUTIONS

For research and industrial use only.

Storage and Handling: Store in sealed containers in the dark at 0-5°C

TRANSPORTATION

DOT SHIPPING NAME: CHEMICALS, NOI

DOT HAZARD CLASS: NOT REGULATED

DOT LABEL: NOT REGULATED

DOT ID No: NOT REGULATED

Prepared by safety and environmental affairs ISSUE DATE SIA0200.0: 1/9/03
SUPERSEDES: 12/26/01

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore.