



Safety Data Sheet acc. to OSHA HCS

Printing date 04/15/2019 Reviewed on 04/15/2019

1 Identification

- · Product identifier

 - · Trade name: Kwik-Sil Clear A · Recommended use Silicone Resin
 - Restrictions on use For industrial use only

Details of the supplier of the safety data sheet Manufacturer/Supplier:

World Precision Instruments, LLC

175 Sarasota Center Boulevard, Sarasota, FL 34240

P: (941) 371-1003 · F: (941) 377-5428

www.wpiinc.com

Emergency Telephone Number:

1-941-371-1003

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
 - GHS label elements Not classified
 - Hazard pictograms Not classified Signal word Not classified Hazard statements Not classified

Classification system:

NFPA System
NFPA ratings (scale 0 - 4)



Health = 0Fire = 1Reactivity = 0

NFPA special hazards (water reactivity and oxidizing property): None

· HMIS System

HMIS-ratings (scale 0 - 4)



Health = 0Fire = 1Reactivity = 0

· Other hazards

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Dangerous components: Not classified
 - Additional information:

If the chemical name/CAS number is proprietary and or weight percentage is listed as a range, the specific chemical identity and or percentage of composition has been withheld as a trade secret.

4 First-aid measures

- Description of first aid measures

 - General information: No special measures required.

 After inhalation: Remove victim from exposure to fresh air. Keep person at rest. Provide oxygen if person is not breathing.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin rash or irritation occurs, seek medical advice. Remove all contaminated clothing and wash before reuse.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses if present and easy to do so; continue rinsing. If symptoms develop seek medical attention.

After swallowing:

If victim is unconscious; never give anything by mouth. If victim is conscious, rinse out mouth with water. Get medical attention if you feel unwell.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

Check section 11 Toxicological Information for further relevant information.





Safety Data Sheet acc. to OSHA HCS

Printing date 04/15/2019 Reviewed on 04/15/2019

Trade name: Kwik-Sil Clear A

(Contd. of page 1)

5 Fire-fighting measures

· Extinguishing media

Suitable extinguishing agents:

Use fire fighting measures that suit the environment. Alcohol resistant foam

Carbon dioxide

dry chemical Special hazards arising from the substance or mixture

Will not burn unless preheated.

Formaldehyde

Carbon dioxide (CO_2) and Carbon monoxide (CO)

Silicon oxide (SiU₂) Advice for firefighters

Protective equipment:

If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA fire brigades standard (29 CFR

As with any fire, wear positive-pressure self-contained breathing apparatus and full protective gear that are NIOSH approved.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

For large spills: provide diking or containment to minimize spreading. If possible pump and store material in appropriate container. For small spills: Ventilate and wash area. Collect spills and absorbant material in appropriate container. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

Handling:

Precautions for safe handling

No special measures required

Keep away from incompatible material(s).

Avoid any release into the environment.

Do not breathe dust/fumes/mist/vapor/spray.

Avoid contact with eyes, skin and clothing.

Keep away from heat, sparks, flames and ignition sources.

Observe all the personal protection requirements in Section 8.

Conditions for safe storage, including any incompatibilities

Storage:
Requirements to be met by storerooms and receptacles:

Keep stored in accordance with local, regional, national, and international regulations.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional Occupational Exposure Limit Values for possible hazards during processing: None.

Exposure controls

If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

· Personal Protective Equipment (PPE)

Breathing equipment:

Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended

Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air supplied respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.

Protection of hards:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation





(Contd. of page 2)



Safety Data Sheet acc. to OSHA HCS

Printing date 04/15/2019 Reviewed on 04/15/2019

Trade name: Kwik-Sil Clear A

· Eye protection:



Safety Glasses with side shields

Body protection: Appropriate chemical resistant clothing.
Limitation and supervision of exposure into the environment
The Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additional information, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138.

Information on basic physical and che	emical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Translucent	
Odor:	Characteristic	
Odor threshold:	Not determined.	
· pH-value:	Not determined.	
pri-value.	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	>110 °C (>230 °F)	_
	,	
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Vapor Density:	not determined	
Density at 20 °C (68 °F):	1.12 g/cm³ (9.35 lbs/gal) Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not available.	
•	Not determined.	
Kinematic:	Not available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
 - Hazardous Reactivity and Chemical Stability Stable under normal conditions of use, storage and temperatures.
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions In

- contact with incompatible materials. No dangerous reactions known.

 Conditions to avoid Keep away from heat, sparks, flame and any other ignition sources. Incompatible materials:

Oxidizing agents Strong acids Strong bases

- Soliding bases.

 Do not mix with strong alkalis and heat. This can cause generation of silicone cyclic compounds that are flammable.

 Hazardous decomposition products: Refer to section 5.



Safety Data Sheet acc. to OSHA HCS

Printing date 04/15/2019 Reviewed on 04/15/2019

Trade name: Kwik-Sil Clear A

(Contd. of page 3)

11 Toxicological information

· Information on toxicological effects

Acute toxicity:

· LD/LC50 values that are relevant for classification:						
68083-19-2	68083-19-2 Dimethyl siloxane, dimethylvinyl-terminated					
Oral		>15,680 mg/kg (rat) Calculated from LD50 > 16mL/kg Reference: ChemID (2010).				
Dermal	LD50	>15,680 mg/kg (rabbit) Calculated from LD50 > 16mL/kg Reference: ChemID (2010).				
Inhalative	LC50/4 h	mg/l (rat) (test guideline not specified) No toxic effects were observed in acute inhalative studies. Reference: NLM TOXNET (2010).				
68909-20-6 Hydrolysis products of 1,1,1-trimethyl-N-(trimethylsilyl)silanamine with silica						
Oral	LD50	mg/kg (No data available)				
Dermal	LD50	mg/kg (No data available)				
Inhalative	LC50/4 h	mg/l (No data available)				

Primary irritant effect:

on the skin: No irritant effect.
on the eye: No irritating effect.
Sensitization: No sensitizing effects known.
Additional toxicological information:
The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Persistence and degradability No further relevant information available.

Behavior in environmental systems: Bioaccumulative potential No data available.

No further relevant information available.
No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information: The product is non-rapid degradable, and low or not highly bioaccumulative.
General notes: Not hazardous for water.

Results of PBT and vPvB assessment

PBT: None of the ingredients is listed.
• vPvB: None of the ingredients is listed.
• Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation: Smaller quantities can be disposed of with household waste.

Uncleaned packagings:

Recommendation: Dispose of according to your local waste regulations.

4 Transport information		
UN-Number DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 04/15/2019 Reviewed on 04/15/2019

Trade name: Kwik-Sil Clear A

(Contd. of page 4)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

UN "Model Regulation":

not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Section 355 (extremely hazardous substances):

None of the ingredients is listed.

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

Section 311/312 (Hazardous Chemical Inventory reporting)

SARA Section 311/312 (Hazardous Chemical Inventory Reporting)

None of the ingredients is listed.

· Hazard Abbreviations for SARA 311/312

A - Acute Health Hazard C - Chronic Health Hazard

F - Fire Hazard R - Reactive Hazard

S - Sudden Release of Pressure Hazard

TSCA	8 (h)	Inventory

68083-19-2 Dimethyl siloxane, dimethylvinyl-terminated	ACTIVE
68909-20-6 Hydrolysis products of 1,1,1-trimethyl-N-(trimethylsilyl)silanamine with silica	ACTIVE
2627-95-4 Tetramethyldivinyldisiloxane	ACTIVE

Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

REACH - Substances of Very High Concern (SVHC) List:

None of the ingredients is listed.

· Restriction of Hazardous Substances Directive (RoHS) list:

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product regarding appropriate safety precautions. It does not represent any guarantee of the properties of the product. World Precision Instruments, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product. See www.wpiinc.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

^{··} Contact: www.wpiinc.com

Date of preparation / last revision 04/15/2019 / -